Create child style

You can add a child style to any of the catalog styles by following these steps:

1. Right-click any of the existing articles or styles then select **Create child style** from the menu. The following window appears:

T	Cates					×
	Q Filter		Create C	Child Style		
	The second second		Please enter valu	e for style attributes		
	E Adult Unit					
	Boys	GEAR LINE	PARENT MODEL TYPE	PARENT STYLE NUMBER	PARENT STYLE NAME	
	Gide	N/A V	~	1366857	Shorts	
لما	COOKIS	STYLE NAME	GENDER	 MERCH MOMENTS 	SIGNATURE COLLECTION	
	Mens	Shorts ×	Girls 🗸	N/A ~	N/A ~	
	Unisex					
		· SUB-CATEGORY (END USE)				
	Womens	Train 🗸				
	Touth Un					
2						
	(Others)					
[₽⇒						
53						
0, 0						
0						
÷					Cancel Next	
TA						

Parent style number and name are displayed along with the style level attributes with the same values of the parent.

- 2. Enter the style attribute value(s),
- 3. Click **Next**, the following window appears:



Articles for the selected style are also displayed. These articles can be from the current or linked seasons.

- 4. Select the articles, if you want to move any of them to the newly created style,
- 5. Add placeholders for each period from the right-side of the window, if you want,
- 6. Click **Next**, the following window appears:

T	Categ	<								×	
		Create Child Style									
m	Adult Uni		Please enter value for colorway attributes								
	Boys		COLORWAY	PERIOD	RETAIL INTRO MONTH	RETAIL EXIT MONTH	SHIPMENT START DATE	SHIPMENT END DATE	- EXCLUSIVE ACC		
	Girts		Placeholder 1	6M ~	Sep 🗸	Jun 🗸	1 Aug 2023	14 Jun 2024			
	⊡Unisex		Placeholder 2	Q1 ~	Jan 🗸	Mar v	20 Dec 2023	19 Mar 2024			
	Womens										
C	Youth Un										
(B)	⊕ (Others)										
53											
P _c ² q											
Ģ								Cancel	Add 2 Colorways		
TA	_										

Note:

- The default values for period, retail intro month and retail exit month can be configured based on criteria and displayed in the respective fields.
- 7. Enter the seasonal attribute value(s), if they are configured for the selected catalog,
- 8. Click the add button, placeholders are added as shown in the below example:



9. Click Next, the child articles are created.

Notes:

• If you select to carryover an article to the child style, seasonless article attributes cannot be updated and the fields are deactivated as shown in the below example:

T	Categ	<							×
	Q. Filter				Create Child St	tyle			
m	🖽 Adult U	-			Please enter value for colorway	y attributes			
	🗉 Boys	Colorway	D	RETAIL INTRO MONTH	RETAIL EXIT MONTH	SHIPMENT START DATE	SHIPMENT END DATE	- COLORWAY GROUP	
	🖽 Girts	1000400 00					10.1		
	I Mens	1383490-50	3 ~	Jan	Jun	20 Dec 2023	19 Jun 2024	, in the second s	
	E Women:	Placeholder	· · ·	Sep 🗸	Jun 🗸	1 Aug 2023	14 Jun 2024	× _	
	E Youth U	Placeholder	2 ~	Apr 🗸	Jun 🗸	1 Mar 2023	14 Jun 2023	~	
8	(Others)								
C									
8728 8728									
Ŷ		_					Cancel	Add 3 Colorways	

• The catalog can be configured to allow you to add any of the primary color, secondary color, and logo color for the placeholders individually or in bulk as shown in the below example:

T	Cates	<										×
	Q Filter		Create Child Style									
	🖸 Adult Uni						Please enter value for	colorwa	ry attributes			
3	Boys		Apply same attributed	ite value for all colorways								
-	• Girls		COLORWAY	T END DATE	UPC TYPE		PRIMARY COLOR		MASTER PRODUCT LINE	SECONDARY COLOR	LOGO COLOR	
	• Mens		Placeholder 1	024	Inline	×	Black	×	Inline ~		Black	×
Ä	Unisex		Placeholder 2	024	Inline	~	Black	×	Inline v		Black	×
			Placeholder 3	023	Inline	~	Black	×	Inline v		Black	×
0	Youth Un (Others)											
(B)												
, U												
and a												
¢										Cancel	Add 3 Colorw	ays
•												

These fields can be set as mandatory or optional as shown in the above example. When the primary color is selected, placeholders will no longer have the -PXX suffix and the set

primary color code will be added to the colorway code.