


## Attribute vetting list

Through this tab, you can define values for attributes to enable users to select from them. You can also add JSON value to the criteria field to make the attribute value dependent on another value. The **Attribute Vetting List** tab appears as shown below:



The screenshot shows a web application interface with a top navigation bar containing tabs: 'ck Definition', 'Tree', 'Attribute Vetting List' (which is active), 'Seller Users', 'Request Attributes', 'Request Reasons', 'Linked Catalogs', 'Linked Attributes', and 'Ti'. Below the navigation bar is a toolbar with icons for selection, refresh, and a status indicator '0 of 1 Selected'. The main content area is a table with the following structure:

Attribute Name ↕	System Name ↕	Values ↕	Actions
<input type="checkbox"/> Category	category_tw	short,skirt,tshirt	3 ⋮

A red circular button with a white plus sign is located at the bottom right corner of the table area.

The page lists the vetting list values defined for the attributes. You can either add values for attributes one by one, or import a list of values for attributes as mentioned in the coming sections.

To add the list of values for an attribute, follow these steps:

1. Click , the following window appears:

New Record

×

Attributes

Values

Use enter to add value

Criteria

CANCEL

SAVE

SAVE AND NEW

2. Select the attribute to which you want to add values,
3. Enter the value(s) then press Enter, it appears as shown in the below example:

New Record

×

Attributes

Color

×

Values

Black

×

White

×

Blue

×

Use enter to add value

Criteria

CANCEL

SAVE

SAVE AND NEW

4. Enter the criteria you want in JSON format, if you want this attribute to be dependent

on another attribute or more,

5. Click **Save** to add the values and close the window or **Save and New** to save it and open a new window.